

IMPORT HEALTH REQUIREMENTS OF CANADA FOR BREEDING CATTLE EXPORTED FROM THE UNITED STATES

NOTE: These requirements are to be used for breeding cattle (*Bos taurus*, *Bos indicus*) and bison.

The animals must be accompanied by a U.S. Origin Health Certificate issued by a veterinarian authorized by the U.S. Department of Agriculture (USDA) and endorsed by a Veterinary Services veterinarian. The certificate shall contain the name and address of the consignor and the consignee and complete identification (see Other Information, #6 for identification requirements) of the animal(s) to be exported. Additional information shall include:

CERTIFICATION STATEMENTS

1. In the United States there are animal health regulations in place that prohibit the feeding of ruminants with meat and bone meal and greaves of ruminant origin since 1997. This prohibition is strictly enforced.
2. The animals were born after January 1, 1999;
3. The animals were not the progeny of a female case and born within 2 years prior to or after clinical onset of the disease in the mother;
4. The animals were not reared during its first year of life with a BSE suspect or confirmed case; and
5. The animals were not born in the same herd and within 12 months of the birth of a BSE suspect or confirmed case.
6. The animals are identified by a permanent identification system enabling it to be traced back to its dam and herd of origin
7. The animals originated from a certified brucellosis-free herd as defined in Title 9, Code of Federal Regulations (CFR), and Part 78.1

- OR -

The animals originated in a brucellosis-free State from an established herd in which no evidence of brucellosis has existed either clinically or serologically during the 24 months prior to export;

- OR -

The animals originated in a brucellosis-free State from an assembled herd in which no evidence of brucellosis has existed either clinically or serologically since the herd was assembled;

- OR -

The animals originated in brucellosis Class A or B State from an established herd in which no evidence of brucellosis has existed either clinically or serologically during the 24 months prior to export. All additions to the herd during the last 2 years other than natural increase were negative to a serum agglutination test at a dilution of 1:50 for brucellosis at least 60 days prior to the qualifying test on individual animals for export.

- OR -

The animals originated in a Class A or B State from an assembled herd with a complete herd test within 12 months except animals under 6 months of age, spayed heifers, steers, and official vaccinates under 18 months of age according to Canadian standards. All the animals were identified in the herd of origin at the time of the herd test or were natural increases born after the complete herd test. The qualifying test for individual animals for export was performed at least 60 days after the complete herd test.

8. The animals originate from a tuberculosis (TB) accredited-free herd or a herd of negative status in a modified TB accredited State or in a modified accredited advance State.
9. All the bovines in the herd(s) of origin, as well as sheep and goats on the same premises, have been inspected within 30 days of entry into Canada and show no clinical evidence of anaplasmosis or bluetongue.
10. To the best of the knowledge and belief of the veterinarian issuing and/or endorsing the health certificate, anaplasmosis has not existed clinically or serologically in the herd of origin for the 2 years immediately preceding the exportation.
11. Either:

- a. In the case of bluetongue, the animals have resided at least 30 days immediately preceding the date of the bluetongue test in one or more low-incidence States, or in one or more medium-incidence States during the vector-free period.

- OR -

- b. The animals for export have resided in the United States for at least 60 days. Insecticide impregnated ear tags were applied to both ears at the time of the first test for export and since the date of the first bluetongue test the animals for export EITHER: have been isolated from other ruminants by at least 200 yards if housed or maintained under a roof have been isolated from other ruminants by at least 500 yards if not housed or maintained under a roof.

- OR -

- c. The animals for export have resided in the United States for at least 60 days and, since the date of the first bluetongue test, have been isolated from other ruminants by at least 200 yards, housed or maintained under a roof. Insecticide impregnated ear tags were applied to both ears at the time of the first test for export.

- OR -

- d. The animals for export have been continuously resident in a low-risk state for at least 60 days preceding the date of inspection.

- OR -

- e. The animals for export have resided in the United States for at least 60 days.

- OR -

- f. The animals for export were born in Alaska or Hawaii and have never left that state.

12. a. The animals have not been vaccinated for brucellosis under the whole herd vaccination program (adult vaccination).
- b. In the case of a bull, the animal has not been vaccinated for brucellosis.
13. The animals are free of ectoparasites, OR the animals have been treated for ectoparasites within 30 days of export. (The name of product and date of treatment must appear on the health certificate).
14. To the best of my knowledge and belief, the animals listed on this certificate were not exposed to any communicable disease within 60 days preceding the date of inspection.

TEST REQUIREMENTS

The animals were negative to the following tests:

1. Brucellosis -A test is not required for steers, spayed heifers under 18 months (547 days) of age that were vaccinated between 60 and 240 days of age. In addition, when possible record the month of vaccination on the health certificate.

NOTE: Any animals vaccinated with RB51 must be tested prior to export, regardless of age or vaccination status.

All other animals must be negative to standard tube tests (STT)
or
standard plate tests (SPT) at 1:50 dilution. Vaccinated cattle, as defined in Title 9,CFR, Part 78.1, having a titer of Incomplete (I) at 1:50 are considered negative for purposes of export to

Canada. Non-vaccinated cattle must be completely negative at 1:50 dilution. (The number of tests to be conducted is dependent upon the status of the herd and States involved, as indicated below).

state Brucellosis Test Requirements according to the status of herd and

- 1) Certified brucellosis-free herd, regardless of the status of State:

One STT or SPT on exported animals within 30 days prior to export.

- 2) Class Free States:

- a) Established herd: One STT or SPT on exported animals within 30 days prior to export.

- b) Assembled herd: Two STT or SPT on exported animals at least 30 days apart. The second test must be conducted within 30 days prior to export.

- 3) Class A & B States:

- a) Established herd: One STT or SPT within 30 days prior to export (All additions to the herd, except natural increases must be tested at least 60 days prior to the qualifying test for export)

- b) Assembled herd: One STT or SPT on the complete herd within 12 months of export except for calves under 6 months of age. One STT or SPT on individual animals being exported regardless of age except for calves born after any testing commences. The second test must be conducted at least 60 days after the complete herd test but within 30 days prior to export.

2. Tuberculosis Accredited-free herd: If all animals in the herd of origin including the animals for export have been tuberculin tested within the 12 months preceding export, one test is required on the individual animals for export [9CFR 91.5(a)]. If there has not been a complete herd test within the 12 months preceding export, each animal for export must have had an intradermal skin test in caudal fold using bovine PPD tuberculin within 60 days prior to export. Herd of negative status in modified accredited-free or modify accredited –free advance State: All animals for export must have an intradermal skin test in caudal fold using bovine PPD tuberculin within 60 days prior to export.
3. Anaplasmosis:
 - a. Testing Procedures Concerning Anaplasmosis for Cattle Originating from Established Herds: Anaplasmosis – cELISA test, using the VMRD, Inc. Anaplasma Antibody Kit, carried out in a US federal laboratory or a USDA-approved laboratory (**as of September 15, 2002**) within 30 days prior to export.
 - b. Testing Procedures Concerning Anaplasmosis for Cattle Originating from Assembled Herds: Anaplasmosis - Two negative cELISA tests are required not less than 60 days but not more than 364 days apart, with the last test being conducted within 30 days prior to export. The initial test must be done on the entire herd and the subsequent test is only required on the cattle being exported.
4. Bluetongue

The bluetongue testing requirements depend on state classification and time of year. Residency statements as listed previously in this document are required on all certificates, and these affect the bluetongue testing requirements. In the following charts, the residency statements cited are referenced to the number as listed previously in certification statements. Either the AGID or the ELISA

test is acceptable, with the understanding that if two tests are required, the same test must be used for both. ELISA test results can not be used to qualify animals which had positive AGID test results. The ELISA test is a more specific test, and is therefore the preferred test.

Exports from the time period October 15 to March 31 of the following year:

	Low risk	High risk	AK, HI
Oct 15-Jan 15	no test, if residency 11(d) - otherwise test as for high risk	one test, residency 11(e)	no test, if residency 11(f)
Jan 16-Mar 31	no test, if residency 11(d) - otherwise test as for high risk	two tests, 30-90 days apart, residency 11(c)	no test, if residency 11(f)

STATE CLASSIFICATION FOR OCT 15-MAR 31:

FREE: Alaska, Hawaii

LOW-RISK: Colorado, Connecticut, Delaware, Idaho, Indiana, Iowa, Kansas, Maine, Maryland, Massachusetts, Michigan, Montana, Minnesota, Nebraska, New Hampshire, New Jersey, New York, North Dakota, Ohio, Pennsylvania, Rhode Island, South Dakota, Utah, Vermont, Washington, West Virginia, Wisconsin, Wyoming

HIGH-RISK: Alabama, Arizona, Arkansas, California, Florida, Georgia, Illinois, Kentucky, Louisiana, Mississippi, Missouri, Nevada, New Mexico, North Carolina, Oklahoma, Oregon, South Carolina, Tennessee, Texas, Virginia

Exports from the time period April 1 to October 15:

Low incidence Medium High incidence AK, HI

incidence

Apr 1-Oct 14	one test, if residency 11(a) - otherwise test as for medium incidence	two tests, 30-90 days apart, residency 11(b)	two tests, 30-90 days apart, residency 11(c)	no test, if residency 11(f)
--------------	---	--	--	--------------------------------

STATE CLASSIFICATION FOR APR 1-OCT 14

FREE: Alaska, HawaiiLOW INCIDENCE:

Alaska, Connecticut, Delaware, Hawaii, Indiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, North Dakota, Ohio, Pennsylvania, Rhode Island, Vermont, Wisconsin, And West Virginia

MEDIUM INCIDENCE:

Colorado, Idaho, Illinois, Iowa, Kansas, Kentucky, Missouri, Nebraska, New Mexico, North Carolina, Oklahoma, Oregon, South Dakota, Tennessee, Utah, Virginia, Washington, Wyoming

HIGH INCIDENCE:

Alabama, Arizona, Arkansas, California, Florida, Georgia, Louisiana, Mississippi, Nevada, South Carolina, Texas

ADDITIONAL BLUETONGUE TESTING INFORMATION:

- (1) IF BT reactor(s) are revealed, the following procedures must be followed:
Remove reactor(s) and isolate remaining negative animals by a distance of at least

200 yards from any positive or untested animals. The isolated animals must be housed under roof and have insecticide-impregnated ear tags placed in their ears at the start of the isolation. These negative animals are to be retested 30 to 90 days after the isolation. If all of this isolated group test negative on the retest, they are eligible for export. If more reactors are revealed on the retest, the entire process is repeated.

- (2) The animals must be moved directly from the premises of test to the U.S./Canadian border, unless they are moved to a consignment show or sale at which all other animals have the same tested health status (i.e., all animals at the show/sale have been tested equivalent to the requirements for export to Canada).
- (3) Purebred cattle, sheep and goats may move on only 1 negative test for bluetongue if they meet the following conditions:
 - a. They are exported to Canada during the period beginning on October 1 in any year and ending on March 31 in the following year, to be exhibited at a show that is for the purpose of improving the breed other than a rodeo or circus, and
 - b. they have not been in a high-incidence State during the 60 days preceding the date of importation, and
 - c. they have proved negative to a test for bluetongue performed within 30 days preceding the date of importation, and
 - d. they may only remain in Canada for 21 days after the date of importation.

OTHER INFORMATION

1. Herd definition for anaplasmosis:

Canada bases its test requirements for anaplasmosis on the status of the herds; i.e. herds of origin being either established herds or assembled herds.

A "established herd" has been defined as a herd which has been

established and maintained for at least 2 years and there has been no clinical and serological evidence of anaplasmosis in the herd during that period.

In the case of cattle that have been added which are offered for export to Canada, they must have been in that herd for at least 60 days prior to the test or have been natural increases to that herd to be certified for export to Canada.

A "assembled" term applies to the following types of herds:

- a. Assembled herds.
- b. Herds of unknown status.
- c. Herds from which reactors to anaplasmosis have been removed within the past 2 years.
- d. Herds established by removing negative animals within the past 2 years from anaplasmosis reactor herds.
- e. Rodeo cattle.

2. Laboratory testing for bluetongue and anaplasmosis:

Retests for bluetongue and anaplasmosis must be performed at the same

Laboratory that conducted the original tests.

3. Canada brucellosis and TB requirement interpretations:

- a. Canada requires that cattle originate from a certified brucellosis-free herd or from an established or assembled herd in a Class A and B State and are tested negative as required under TEST REQUIREMENTS.

b. Certified brucellosis-free herd is a herd as defined in Title 9, CFR, Part 78.1.

c. An established herd is a group of cattle that has been maintained as a herd unit for at least 2 years during which time no serological or clinical evidence of brucellosis has been disclosed.

d. An assembled herd is a group of cattle that has not been maintained as a herd unit for at least 2 years in which no serological or clinical evidence has been disclosed since they assembled.

e. Canada does not recognize a split status for any State. Therefore, animals from a State with split status must Meet the Canadian requirement of the lowest classification existing in the State.

f. Canada will accept cattle from a TB accredited-free herd or a herd of negative status in a modified TB accredited-free State or in a modified accredited advance State. No test is required on individual animals for export from an accredited-free herd, as long as there has been a whole herd test done within the last 12 months prior to export and the animals intended for export were included in this test. Negative TB tests are required on individual animals from herds of negative status in a modified TB accredited-free State or in a modified accredited advance State. (See Test Requirement).

g. A herd of negative status for TB is interpreted as a herd which the Area Veterinarian in Charge has no reason to believe is affected with tuberculosis and no isolation of Mycobacterium bovis has ever been made in the herd.

4. Isolation requirements of Canada are:

a. The isolation facility required under Certification Statement No. 11b must be approved by the accredited veterinarian prior to the start of testing.

b. When animals originate from an assembled herd, Canada prefers that entire herd be tested. If this is not possible, the animals for export must be moved at least one-half mile from the main herd and from other cattle, sheep, and goats before the testing for anaplasmosis is initiated. (A statement to this effect must be included on the U.S. Origin Health Certificate.)

5. Anaplasmosis and bluetongue test considerations are as follows:

a. Bluetongue and anaplasmosis reactors are never eligible for export to Canada even though they test negative on subsequent retests.

b. The 2-year negative herd history (Certification Statement No. 10) is not required if the cattle are being qualified for export to Canada from a assembled herd.

c. Animals may be exported to Canada within 12 months of a complete negative herd test for anaplasmosis if the animals for export are negative to a test for anaplasmosis within 30 days prior to export and the test was conducted at least 60 days after the complete herd test, and they meet other requirements concerning brucellosis, TB, and bluetongue. At the end of the 12 months, the entire herd must be tested to qualify for the next year. If, after 2 years, there has been no serological or clinical evidence of anaplasmosis, the herd regains status as an established herd. At that time, test procedures for an established herd can be followed.

d. Calves at foot under 30 days of age and born after the inspection of the dam and born after the qualifying test or calves which are born after the inspection of the dam and between the first and second bluetongue test*, or are born after the inspection of the dam and after completion of the testing, must be identified

with their dams, by eartag, on the health certificate and can be exported without the required tests. All other calves must meet applicable requirements.

* As required in medium-incidence States (vector-period) and high-incidence States.

6. Identification

The animals are identified by a permanent identification system enabling it to be traced back to its dam and herd of origin. Canada requires that all breeding cattle be identified by both a tattoo and an official metal eartag. The tattoo must be in the right ear, and must either be an official calfhood vaccinate tattoo or legibly show the letters "USA" at least 1 cm. in height. The official metal eartag must indicate the State from which the cattle were certified. Other available identification (bangle tags, etc.) may also be recorded on the health certificate.

7. Cattle returning to Canada from the United States:

The following requirements for Canadian cattle returning from the United States must be met:

a. Cattle being returned to Canada will be permitted entry into Canada if they are accompanied by a copy of the Canadian export health certificate and they are returned to Canada within 30 days after entry into the United States.

b. Cattle being returned to Canada between 30 and 60 days after entry into the United States must be accompanied by a U.S. Origin Health Certificate indicating they were negative to a test for brucellosis, anaplasmosis, and bluetongue conducted within 30 days prior to their return to Canada. The TB test conducted to permit the animal to enter the United States is valid for cattle being returned to Canada if no more than 60 days have elapsed since the reading date. The U.S. Origin Health Certificate must show the date the animal(s) was imported into the United States.

from Canada and the test results. A copy of the Canadian health certificate on which the animal entered the United States shall be attached to the health certificate.

c. When more than 60 days has elapsed since the date of the entry into the United States, the cattle shall be certified as U.S. origin livestock.

8. Cattle for immediate slaughter:

Cattle for immediate slaughter, which are consigned directly to an establishment registered under the Canadian Meat Inspectors Act, are not to be accompanied by a U.S. Origin Health Certificate.